

RESTAURANT EQUIPMENT WAREHOUSE

ALL FLYER PRICING DOES NOT INCLUDE FREIGHT DELIVERY, INSTALLATION,
OR TAXES.

05/28/2021

REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8705GR

Refrigerator Merchandiser, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) self-closing hinged glass door with lock, digital temperature control, 33° to 38°F temperature range, (4) adjustable shelves, LED interior lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8707GR

Refrigerator Merchandiser, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 44.8 cu. ft., (2) self-closing hinged glass doors with locks, digital temperature control, 33° to 38°F temperature range, (8) adjustable shelves, LED interior lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8709GR

Refrigerator Merchandiser, two-section, 54-2/5"W x 29-7/10"D x 81-1/5"H, bottom-mount self-contained refrigeration, 44.9 cu. ft., (2) self-closing sliding glass doors, digital temperature control, 33° to 38°F temperature range, (8) adjustable shelves, LED interior lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8726GR

Refrigerator Merchandiser, one-section, 24-1/5"W x 24"D x 63-1/5"H, bottom-mounted self-contained refrigeration, 8.3 cu. ft., (1) self-closing hinged glass door with lock, Dixell electronic controller, 33° to 40°F temperature range, (3) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8725GR

Refrigerator Merchandiser, one-section, 24-1/5"W x 24"D x 76-1/5"H, bottom-mounted self-contained refrigeration, 11.1 cu. ft., (1) self-closing hinged glass door with lock, Dixell electronic controller, 33° to 38°F temperature range, (4) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED MERCHANDISER Atosa USA, Inc. Model MCF8722GR

Refrigerator Merchandiser, one-section, 27"W x 31-1/2"D x 81-1/5"H, bottom-mounted self-contained refrigeration, 19.4 cu. ft., (1) self-closing hinged glass door with lock, Dixell electronic controller, 33° to 38°F temperature range, (4) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REFRIGERATED MERCHANDISER**Atosa USA, Inc.****Model MCF8727GR**

Refrigerator Merchandiser, two-section, 54-2/5"W x 29-7/10"D x 81-1/5"H, bottom-mounted self-contained refrigeration, 44.9 cu. ft., (2) sliding glass doors, Dixell electronic controller, 33° to 40°F temperature range, (8) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

**REFRIGERATED MERCHANDISER****Atosa USA, Inc.****Model MCF8723GR**

Refrigerator Merchandiser, two-section, 54-3/8"W x 31-1/2"D x 81-1/5"H, bottom-mounted self-contained refrigeration, 43.8 cu. ft., (2) self-closing hinged glass doors with locks, Dixell electronic controller, 33° to 38°F temperature range, (8) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REFRIGERATED MERCHANDISER****Atosa USA, Inc.****Model MCF8724GR**

Refrigerator Merchandiser, three-section, 81-9/10"W x 31-1/2"D x 81-1/5"H, bottom-mounted self-contained refrigeration, 69.5 cu. ft., (3) self-closing hinged glass doors with locks, Dixell electronic controller, 33° to 38°F temperature range, (12) shelves, LED interior lighting, lighted header panel, stainless steel interior, black steel exterior, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation

**FREEZER MERCHANDISER****Atosa USA, Inc.****Model MCF8720GR**

Freezer Merchandiser, one-section, 27"W x 31-1/2"D x 81-1/5"H, bottom-mount self-contained refrigeration, 19.4 cu. ft., (1) self-closing hinged glass doors with locks, digital temperature control, -8° to 0°F temperature range, (4) adjustable shelves, LED interior lighting, automatic evaporation, electric defrost, stainless steel interior, black exterior, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

FREEZER MERCHANDISER**Atosa USA, Inc.****Model MCF8732GR**

Freezer Merchandiser, two-section, 39-1/2"W x 31-1/2"D x 81-1/5"H, bottom-mount self-contained refrigeration, 28.5 cu. ft., (2) self-closing hinged glass doors with locks, digital temperature control, -8° to 0°F temperature range, (8) adjustable shelves, LED interior lighting, automatic evaporation, electric defrost, stainless steel interior, black exterior, R290 Hydrocarbon refrigerant, 3/4 HP, 115/208-230v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

**FREEZER MERCHANDISER****Atosa USA, Inc.****Model MCF8721ES**

Freezer Merchandiser, two-section, 54-2/5"W x 31-1/2"D x 81-1/5"H, bottom-mount self-contained refrigeration, 43.8 cu. ft., (2) self-closing hinged glass doors with locks, digital temperature control, -8° to 0°F temperature range, (8) adjustable shelves, LED interior lighting, automatic evaporation, electric defrost, stainless steel interior, black exterior, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

FREEZER MERCHANDISER**Atosa USA, Inc.****Model MCF8728GR**

Freezer Merchandiser, three-section, 81-9/10"W x 31-1/2"D x 81-1/5"H, bottom-mount self-contained refrigeration, 68 cu. ft., (3) self-closing hinged glass doors with locks, digital temperature control, -8° to 0°F temperature range, (12) adjustable shelves, LED interior lighting, automatic evaporation, electric defrost, stainless steel interior, black exterior, R290 Hydrocarbon refrigerant, 1 HP, 208-230/115v/60/1-ph, 6.2 amps, cord with NEMA L14-20P, cETLus, ETL-Sanitation

FREEZER MERCHANDISER**Atosa USA, Inc.****Model MCF8701GR**

Freezer Merchandiser, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) self-closing hinged glass door with lock, digital temperature control, -8° to 0°F temperature range, (4) adjustable shelves, LED interior lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



FREEZER MERCHANDISER

Atosa USA, Inc.

Model MCF8703ES

Freezer Merchandiser, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 44.8 cu. ft., (2) self-closing hinged glass doors with locks, digital temperature control, -8° to 0°F temperature range, (8) adjustable shelves, LED interior lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



DISPLAY CASE, REFRIGERATED, COUNTERTOP

Atosa USA, Inc.

Model CRDC-35

Refrigerated Display Case, countertop, 27-3/5"W x 22-1/10"D x 26-2/5"H, 3.5 cu. ft. capacity, curved front glass, 33° - 41°F temperature range, (2) stainless steel shelves, (2) rear sliding doors, LED interior lighting, digital controller, defog feature, rear mounted self-contained refrigeration, R290 refrigerant, stainless steel interior & exterior with black frames, leveling legs, 1/5 HP, 115v/60/1-ph, 2 amps, NEMA 5-15P, cETLus, ETL-Sanitation




DISPLAY CASE, REFRIGERATED, COUNTERTOP

Atosa USA, Inc.

Model CRDC-46

Refrigerated Display Case, countertop, 35-2/5"W x 22-1/10"D x 26-2/5"H, 4.6 cu. ft. capacity, curved front glass, 33° - 41°F temperature range, (2) stainless steel shelves, (2) rear sliding doors, LED interior lighting, digital controller, defog feature, rear mounted self-contained refrigeration, R290 refrigerant, stainless steel interior & exterior with black frames, leveling legs, 1/5 HP, 115v/60/1-ph, 2 amps, NEMA 5-15P, cETLus, ETL-Sanitation



DISPLAY CASE, REFRIGERATED, COUNTERTOP

Atosa USA, Inc.

Model CRDS-42

Refrigerated Display Case, countertop, 27-3/5"W x 22-1/10"D x 26-2/5"H, 4.2 cu. ft. capacity, straight front glass, 33° - 41°F temperature range, (2) stainless steel shelves, (2) rear sliding doors, LED interior lighting, digital controller, defog feature, rear mounted self-contained refrigeration, R290 refrigerant, stainless steel interior & exterior with black frames, leveling legs, 1/5 HP, 115v/60/1-ph, 2 amps, NEMA 5-15P, cETLus, ETL-Sanitation




DISPLAY CASE, REFRIGERATED, COUNTERTOP

Atosa USA, Inc.

Model CRDS-56

Refrigerated Display Case, countertop, 35-2/5"W x 22-1/10"D x 26-2/5"H, 5.6 cu. ft. capacity, straight front glass, 33° - 41°F temperature range, (2) stainless steel shelves, (2) rear sliding doors, LED interior lighting, digital controller, defog feature, rear mounted self-contained refrigeration, R290 refrigerant, stainless steel interior & exterior with black frames, leveling legs, 1/5 HP, 115v/60/1-ph, 2 amps, NEMA 5-15P, cETLus, ETL-Sanitation



COUNTER REFRIGERATOR

Atosa USA, Inc.

Model CTD-3

Refrigerator Merchandiser, countertop, one-section, 17-1/4"W x 19-3/4"D x 27-1/2"H, forced air cooling, 2.4 cu. ft. capacity, (1) hinged glass door with lock, mechanical controller, 33° to 41°F temperature range, (3) adjustable shelves, LED interior lighting, R600a refrigerant, white interior, black exterior, leveling legs, 115v/60/1-ph, 1.5 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



COUNTER REFRIGERATOR

Atosa USA, Inc.

Model CTD-5

Refrigerator Merchandiser, countertop, one-section, 21-1/4"W x 22"D x 33-3/4"H, forced air cooling, 4.6 cu. ft. capacity, (1) hinged glass door with lock, mechanical controller, 33° to 41°F temperature range, (4) adjustable shelves, LED interior lighting, R600a refrigerant, white interior, black exterior, leveling legs, 115v/60/1-ph, 1.7 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



COUNTER REFRIGERATOR

Atosa USA, Inc.

Model CTD-3S

Refrigerator Merchandiser, countertop, one-section, 18-1/8"W x 18-1/2"D x 33"H, cold wall cooling, 2.4 cu. ft. capacity, (1) hinged glass door with lock, mechanical controller, 33° to 41°F temperature range, (3) adjustable shelves, LED interior lighting, R600a refrigerant, white interior, black exterior, leveling legs, 115v/60/1-ph, 1.5 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



